

Project: Upper Makefield Farm - Private Residence  
 Location: Bucks County, PA  
 Design Firm: Callaghan Interior Design

Products: **HERITAGE, WORMWOOD and PIONEER OAK** from the enCORE Collection  
**NEW AMSTERDAM** from the **RUSTIC MODERN** Collection  
**UMBER** from the **BARK SIDE** Collection  
 custom reclaimed oak COUNTERTOP  
 custom white oak STAIR TREADS  
 reclaimed BEAMS



Photo credit: ©reSAWN TIMBER co. 2014



In historic UPPER MAKEFIELD township sits a sprawling farm, sprinkled with welcoming cottages, a renovated barn and a cozy main house. the nearly century-old buildings have been completely gutted, yet speak to the rich history of the area. Upper Makefield Township is memorialized as the turning point of the American Revolution at Washington Crossing Historic Park, aptly named for the Christmas evening George Washington led American forces across the Delaware River in 1776. Callaghan Interior Design, a PA-based firm with over 30 years of design experience, is leading this restoration project and specified several of reSAWN's designs for flooring, wall cladding, and custom millwork.



Photo credit: @reSAWN TIMBER co. 2014

PRODUCT SPECIFIC DATA:

**WORMWOOD** reclaimed chestnut flooring is featured throughout the classic country-inspired cottage, enticing guests to linger amidst its earthy tones. (IMAGES: page 1 top right, bottom right)

**WORMWOOD** - Reclaimed Chestnut - Character Grade - Engineered, Unfinished (site finished by others)  
5/8" thick (4 mm wear layer) X 6" wide X 2'-10' random lengths

**WORMWOOD**'s color can range from light tans to deep browns. Truly unique, American Chestnut is a species that is now effectively extinct due to an extreme blight at the turn of the 20th century. Typical character marks include mineral staining, color changes, weathering, checking, nail holes, knots and a generous amount of worm holes.

**WORMWOOD** is available SOLID or ENGINEERED, UNFINISHED or PREFINISHED in a variety of widths and lengths.



**WORMWOOD**

<b>SPECIES:</b>	<b>Antique Reclaimed Chestnut</b>
<b>GRADE:</b>	Character
<b>Janka Hardness (ASTM D 1037):</b>	540
(shown prefinished with Urethane)	


PRODUCT SPECIFIC DATA:

**HERITAGE** reclaimed oak from the enCORE collection serves as a select countertop in another cottage, and wide plank flooring in the main office. The office powder room is cozied up by the inclusion of reclaimed oak beams (IMAGE: page 2, middle right) framing the mirror.

**HERITAGE** - Reclaimed Oak - Character Grade - Wide Plank - Solid, Unfinished (site finished by others)  
Flooring - 3/4" thick X 8" wide X 2'-10' random lengths (IMAGE: page 2, bottom right)  
Countertop - 1-1/2" thick X 24" deep (IMAGE: page 2, top right)

**HERITAGE** is a mix of reclaimed red & white oak creating a pleasing variation of colors. Expect a warm palette of colors, with dense & varying grain patterns. Typical character marks include mineral staining, color changes, weathering, checking, nail holes, and knots

**HERITAGE** is available SOLID or ENGINEERED, UNFINISHED or PREFINISHED in a variety of widths and lengths.



**HERITAGE**

<b>SPECIES:</b>	<b>Reclaimed Oak (Mix Red/White Oak)</b>
<b>GRADE:</b>	Character
<b>Janka Hardness (ASTM D 1037):</b>	1,325
(shown prefinished with Urethane)	



PRODUCT SPECIFIC DATA:

**NEW AMSTERDAM** new white oak from the **RUSTIC MODERN** collection was selected for flooring throughout two of the cottages as well as stair treads.

**NEW AMSTERDAM** - New White Oak - Character Grade - Solid, Unfinished (site finished by others)  
Flooring - 3/4" thick X 6" wide X 2'-10' random lengths (IMAGES: page 1, middle left, bottom left; page 2: top left)  
Stair Treads - 1" thick X 12" deep X 42" wide (IMAGE: page 1, top left)

**NEW AMSTERDAM** features the unique character and grain pattern of our original cut White Oak. Original cut is a way of cutting the log that incorporates plain sawn, rift sawn and quarter sawn grain patterns and all grades and character marks into the final product. common character marks include knots, checks, streaks and worm holes.

**NEW AMSTERDAM** is available SOLID or ENGINEERED, UNFINISHED or PREFINISHED with hardwax oil and in a variety of widths and lengths.



<b>NEW AMSTERDAM</b>	
<b>SPECIES:</b>	<b>White Oak</b>
<b>CUT:</b>	Original Cut
<b>GRADE:</b>	Character
<b>FINISH:</b>	Hardwax Oil
<b>Janka Hardness (ASTM D 1037):</b>	1,360

PRODUCT SPECIFIC DATA:

**UMBER** new white oak from reSAWN's **BARK SIDE** collection provides a beautifully textured floor and compliments the **PIONEER OAK** reclaimed barn siding in yet another cottage.

**UMBER** - New White Oak - Character Grade - Solid, Unfinished (site finished by others)  
Flooring - 3/4" thick X 6" wide X 2'-10' random lengths (IMAGES 14-19)

**UMBER** features a textured surface on our original cut white oak. UMBER is typically prefinished with our hardwax oil which is natural, non-toxic and 100% VOC-free. our hardwax oil produces a durable, matte finish that respects the natural look and feel of the wood.

**UMBER** is available SOLID or ENGINEERED, UNFINISHED or PREFINISHED with hardwax oil and in a variety of widths and lengths.



<b>UMBER</b>	
<b>SPECIES:</b>	White Oak
<b>CUT:</b>	Original Sawn
<b>GRADE:</b>	Character
<b>TREATMENT:</b>	Textured Surface
<b>FINISH:</b>	Unfinished (site finished by others)
<b>Janka Hardness (ASTM D 1037):</b>	1,360

FINISH SPECS: Hardwax Oil

FLASH POINT	ASTM D 93: > 215°F (PenskyMartens)
RESISTANCE TO WATER	(NEN-EN 13442): no visual or tangible changes.
RESISTANCE TO WEAR	(NEN 2072 – Taber Abraser en CS 17 sanding wheels): strong absorption basantol liquid, only after 800 to 1000 rotations.
RESISTANCE TO HEAT	Until 212 °F

PRODUCT SPECIFIC DATA:

**PIONEER OAK** 9" wide skip planed reclaimed oak barn siding showcases its unique rustic beauty along the wall and windowsills in one of the bedrooms, as well as in the custom-built bed frame.

**PIONEER OAK** - Skip Planed Barn Siding - ALL OAK (mix red/white oak) - Wide Plank - Solid, Unfinished  
5/8" thick X 9" wide X 2'-10' random lengths (IMAGE: page 2, middle left)

**PIONEER OAK** from the enCORE collection features antique reclaimed barn siding that has been sorted for all oak and then skip planed. skip planing is a process whereby the boards are put thru a planer set to only remove the high points, "skipping" over the low points to create contrast. typical character marks include mineral staining, color changes, weathering, checking, nail holes, knots, and heavy patina. due to the nature of this material, thicknesses tend to vary slightly.

**PIONEER OAK** is available SOLID or ENGINEERED, UNFINISHED or PREFINISHED with hardwax oil and in a variety of widths and lengths.



PIONEER OAK	
SPECIES:	Antique Reclaimed Oak
GRADE:	Rustic
FINISH:	Unfinished
Janka Hardness (ASTM D 1037):	1,325

ADDITIONAL PRODUCT DATA:

STANDARD DIMENSIONS & EDGE DETAIL:

	Solid	Engineered
Thickness:	3/4"	5/8" (4 mm wear layer)
Width:	5"	5"
Random Lengths:	2'-10'	2'-10'
Note: Additional widths and lengths available upon request.		

INSTALLATION GUIDE:

	Solid	Engineered
Above-grade	YES	YES
On-grade	YES	YES
Below-grade	<b>NO</b>	YES
Over Radiant Heat	YES	YES

SUSTAINABLE ATTRIBUTES:

CERTIFICATION	Available as FSC-Certified
POSSIBLE LEED CREDITS	MR 4 - Recycled Content
	MR 5 - Regional Materials
	MR 6 - Rapidly Renewable Resource (Hardwax-Oil Finish)
	MR 7 - Certified wood (as FSC-Certified)
	EQ 4.1 - Low-emitting materials: Adhesives & Sealants (Hardwax-Oil Finish)
	EQ 4.2 - Low-emitting materials: Paints & Coatings (Hardwax-Oil Finish)
	EQ 4.4 - Low-emitting materials: Composite Wood & Agrifiber Products (Engineered)

Photo Disclaimer: Project and product photos are meant to be a general guide to product appearance only. Due to our handcrafted process and wood being a product of nature, the color, grain pattern, character and profile will vary between individual boards on a project and will never be an exact match.  
Janka Rating from similarly tested products - expected to be close to actual measurements of reSAWN TIMBER co.'s products.